

Glazed Ceramic Subway Tile



🔀 chennaipaints@gmail.com

Elevate Every Corner With **Stunning Surfaces**.

Glazed Ceramic subway tile is finished in a beautiful, smooth glaze. With so many colors, patterns and sizes to choose from, there are countless ways to make use of subway tile in your home. The elegant glaze allows this ceramic subway tile to complement a variety of decorating styles, especially for kitchens, bathrooms, backsplashes and foyers. With slightly curved edges and a slick glossy sheen, the subway tile serves as an ideal solution .Subway tiles have earned their reputation as a versatile and low-Maintenance design choice for kitchens, bathrooms etc. Their non-porous surfaces, ease of cleaning, and overall durability make them a practical and stylish selection.

The tile has lots of advantages, such as the high water absorption, strong stain resistance and slip resistance, meanwhile the surface is flat and bright, and the edge is smooth. It is known for both durability and timeless style. These tiles are popular choice for Kitchen, backsplashes because they provide a smooth and plain surface along the walls between your kitchen's upper cabinets and countertops, as well as the wall behind your kitchen sink. They can also protect your walls from water and cooking stains.

Because of its historical roots, subway tile is, in many designers' minds, considered a staple in tile design. If you're newly tiling a space, you might want to play around a bit and have some fun. Subway tiles cannot go out of style because it's a classic.

The Practical Benefits of Installing Subway Tiles

Stylish Impact.Ease of Maintenance.	Cost Efficiency.Versatility in Use.
Space Efficiency.Availability of Replacements.	Installation Simplicity.Glossy and Matte Finish.


Available Colours



Also available in white



Available Sizes & Shapes



Visuals Of Glossy & Matt Tiles

Matt



Real Life Implement

























Subway Tiles Details (Common for all sizes)		
Floor/Wall Tile	Wall	
Indoor/Outdoor	Indoor	
Tile Material	Ceramic	
Style	Natural	
Tile Finish	Glazed Tiles	
Surface Type	Glossy/Matt	
Commercial/Residential	Commercial/Residential	
Breaking Strength in Pounds	0-250	
Water Absorption	10-15%	
Application	Kitchens, Bathrooms, Coffee Shop, etc	
Colours	Multicolour	
Function	Wear-Resistant, Acid-Resistant, Non-Slip, Antibacterial.	

Subway Tiles - 200 x 200 mm

Common Measurement (L x W)	200 x 200 mm / 8" x 8"	
Actual Thickness (Millimeters)	8 mm	
Actual Width (Inches)	3.937 3.937	
Actual Length (Inches)		
Edge Type	Flat	
Square Footage Per Piece (Sq. Feet)	0.431*	
No of Pcs / Sqft Per Box	47 Pcs = 20.240 Sqft Flat	

Subway Tiles - 100 x 200 mm

Common Measurement (L x W)	100 x 200 mm / 4" x 8"	
Actual Thickness (Millimeters)	8 mm	
Actual Width (Inches)	3.937 7.874 Flat / Beveled	
Actual Length (Inches)		
Edge Type		
Square Footage Per Piece (Sq. Feet)	0.215*	
No of Pcs / Sqft Per Box	70 Pcs = 15.070 sqft Flat / 60 Pcs = 12.920 Sqft Beveled	

Subway Tiles - 100 x 100 mm

Common Measurement (L x W)	100 x 100 mm / 4" x 4"	
Actual Thickness (Millimeters)	8 mm	
Actual Width (Inches)	3.937 3.937	
Actual Length (Inches)		
Edge Type	Flat / Beveled	
Square Footage Per Piece (Sq. Feet)	0.107*	
No of Pcs / Sqft Per Box	152 Pcs = 16.36 sqft Flat / 130 Pcs = 13.990 sqft Beveled	

Subway Tiles - 100 x 300 mm		
Common Measurement (L x W)	100 x300 mm / 4" x 12"	
Actual Thickness (Millimeters)	7 .5 mm	
Actual Width (Inches)	3.937 11.811 Flat / Beveled / Uneven	
Actual Length (Inches)		
Edge Type		
Square Footage Per Piece (Sq. Feet)	0.322*	
No of Pcs / Sqft Per Box	58 Pcs= 18.730 sqft Flat / 52 Pcs= 16.790 sqft Beveled / 50 Pcs= 16.150 sqft Uneven	

Subway Tiles - 150 x 150 mm

Common Measurement (L x W)	150 x 150 mm / 6" x 6"	
Actual Thickness (Millimeters)	7mm	
Actual Width (Inches)	5.906 5.906	
Actual Length (Inches)		
Edge Type	Flat / Beveled	
Square Footage Per Piece (Sq. Feet)	0.242*	
No of Pcs / Sqft Per Box	73 Pcs = 17.680 Sqft Flat / 65 Pcs= 15.740 sqft Beveled	

Subway Tiles - 100 x 400 mm			
Common Measurement (L x W)	100 x400 mm / 4" x 16"		
Actual Thickness (Millimeters)	8 mm		
Actual Width (Inches)	3.937		
Actual Length (Inches)	15.748		
Edge Type	Flat / Beveled / Conclave		
Square Footage Per Piece (Sq. Feet)	0.430*		
No of Pcs / Sqft Per Box	38 Pcs= 16.360 sqft Flat / 35 Pcs = 15.070 sqft Beveled / 38 Pcs = 16.360 Sqft Conclave		



Subway Tiles - 75 x 150 mm


Common Measurement (L x W)	75x150 mm / 3" x 6"	
Actual Thickness (Millimeters)	7 mm	
Actual Width (Inches)	2.953 5.906 Flat / Beveled / Bread Type	
Actual Length (Inches)		
Edge Type		
Square Footage Per Piece (Sq. Feet)	0.121*	
No of Pcs / Sqft Per Box	152 Pcs = 18.410 sqft Flat / 128 Pcs = 15.500 sqft Beveled / 106 Pcs= 12.840 Sft Bread type	

Subway Tiles - 75 x 300 mm		
Common Measurement (L x W)	75 x300 mm / 3" x 12"	
Actual Thickness (Millimeters)	8 mm	
Actual Width (Inches)	2.953 11.811 Flat /Beveled / Uneven / Wavy Edge 0.242*	
Actual Length (Inches)		
Edge Type		
Square Footage Per Piece (Sq. Feet)		
No of Pcs / Sqft Per Box	56 Pcs = 13.560 Sqft Flat/ 51 Pcs = 12.350 sqft Beveled / 56 Pcs = 13.560 Sqft Uneven / 51 Pcs = 12.350 Sqft Wavy Edge	

Subway Tiles - 50 x 200 mm

Common Measurement (L x W)	50 x200 mm / 2" x 8"	
Actual Thickness (Millimeters)	7.5 mm	
Edge Type	Flat / Uneven	
Square Footage Per Piece (Sq. Feet)	0.108*	
No of Pcs / Sqft Per Box	140 Pcs = 15.070 sqft flat / Uneven	

Different Laying Methods



Information on Uses

- It is always recommended to check the colour of the Tile, to see if it is meeting the desired colour of the client.
- Shades in the catalogue are as accurate as possible (The actual shade may not match 100 % with that in shade card ,as it is for indication purpose only) ,kindly check actual tile sample before making the final selection.
- No claim will be entertained once the tile installation are done.
- For better fixing of the tiles, kindly follow the instructions on the box.
- Kindly make sure to check the shade/ finish/ size with the sales agent/ dealer before making the final purchase because there might be variation in actual finish that is shown in the catalogue.
- The company will not bear any loss in such case.
- These are Imported Tile. And not made in India.
- It is recommended to apply a small area with actual tile at site and check for any colour ingress into the tiles as some tiles have high absorption which may cause to wet patches. Discoloration/ colour marks.
- Specification subject to change without notification, the technical data provided are as per our suppliers internal lab testing and may vary as per the actual installation method of application done.

Disclaimer – Information provided on this data sheet is only a guideline for usage. It is advised to undertake a trial of the product before full scale usage. Any information and / or specification contained / shared herein is to the best of our knowledge true and accurate, no guaranty / warranty is given or implied in connection with any recommendation or suggestions made by us the company (Chennai Paints), our Representatives, Agents or Distributors, as the conditions of use of any labour involved, site conditions are beyond our control.

Product TDS No. GCSTiles -01/04/2024. Please note that this datasheet supersedes all previous versions. For Feedback/complaints, write to Marketing Manager Services, Chennai paints-200A, M.H.Road, Chennai-600-060. Tamilnadu India



Chennai Paints - Thin Set Adhesives Grey Interior Wall & Floor Tile Adhesive

Chennai paints-(Grey) Wall & floor thin-set adhesive is a smooth & creamy, sanded bagged cementations powder which is a high performance dry set adhesive for use with water for installing Ceramic tiles and small format natural stone on dry area of Interior floors and Wall up to a height of 10 Feet. Can be used up to maximum of 12mm bed thickness.

Pack Size:	Colour:	Shelf Life:	Coverage:
20kg	Grey	6 Month from date of manufacture	55-60 sq.ft/20kg*

Chennai Paints - Grey Premium Interior Wall And Floor And Exterior Floor Tile Adhesive

Chennai paints- Grey Premium Tile adhesive is a high polymer, modified cement-based adhesive which is smooth & creamy, sanded bagged cementations powder with a high performance dry Thin set adhesive for use with water for installing in dry area for Small format ceramic wall & floor tiles, vitrified tiles, precast terrazzo and natural stones in Interior floor area and Wall up to a height of 10 Feet. It can be applied on Exterior Floors and Can be used up to maximum of 12mm bed thickness.

Pack Size:	Colour:	Shelf Life:	Coverage:	
20kg	Grey & White	6 Month from date of manufacture	55-60 sq.ft/20kg*	

Chennai Paints - Grey+ Interior Wall and Floor and Exterior Floor Tile Adhesive

Chennai paints - (Grey +) Tile adhesive is a high polymer, modified cement-based adhesive which is smooth & creamy, sanded bagged cementations powder with a high performance dry Thin set adhesive for use with water for installing Small to Medium format ceramic wall & floor tiles, vitrified tiles, precast terrazzo and natural stones in Interior and Exterior floor area. It can be used up to a maximum 0f 12mm bed thickness over concrete and a variety of cement-based substrates

Pack Size: 20kg Colour: Grey & White Shelf Life: 6 Month from date of manufacture **Coverage:** 50-55 sq.ft/20kg*

Chennai Paints - Grey+ (Max-L) Interior And Exterior Large Wall and Floor Tile Adhesive

Chennai paints - Grey+ (MAX-L) Tile adhesive is a high polymer, modified cement-based adhesive which is smooth & creamy, sanded bagged cementations powder with a high performance dry Thin set adhesive for use of large format/ slim tiles. It is a multipurpose and flexible adhesive which offers good sag and slump resistance. It can be used up to a maximum 0f 18mm bed thickness. It is suitable for slim porcelain large format tiles, ceramic, vitrified, cement and cement based precast terrazzo tile and natural stones.

Pack Size:	Colour:	Shelf Life:	Coverage:
20kg	Grey	6 Month from date of manufacture	65-70 sq.ft/20kg*











Chennai Paints - Colourfill Unsanded Grout for Interior Floor N Wall

Chennai Paints - Colourfill is a Decorative and Protective single component (Ready-to-use) Dry free flowing polymer based unsanded cement grout for interior floor and wall joints. Designed for interior floor and wall joints of all types of ceramic tile, vitreous, semi-vitreous tile, glass mosaic tiles, precast terrazzo, engineered stone floors and natural stones. Recommended for Institutional and commercial general floor and wall areas. Can be mixed with water or grout admix+ and used for filling the joints of width 1mm to 3 mm

Pack Size:	Colour:	Shelf Life:
25kg, 10kg, 1kg	15 exciting shades	12 Month from date of manufacture

Chennai Paints - Colour fill Sanded Grout for Exterior Floor N Wall

Chennai Paints - Colourfill is a Decorative and Protective single component (Ready-to-use) Dry free flowing polymer based sanded cement grout for Exterior floor and wall joints. Designed for Exterior floor and wall joints of all types of ceramic tile, vitreous, semi-vitreous tile, glass mosaic tiles, precast terrazzo, engineered stone floors and natural stones. Recommended for Institutional and commercial general floor and wall areas. Can be mixed with water or grout admix+ and used for filling the joints of width 3mm to 12 mm.

Pack Size:Colour:25kg, 10kg, 1kg15 exciting shades

Shelf Life: 12 Month from date of manufacture





